

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	automatic adj defect and recognition and(detect\$3 or determining)and(defect or flaw or fault)and(assign\$3 or test\$3 or evaluat\$3)and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 15:58
L2	5	L1 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 15:58
L3	1	L2 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 15:58
L4	0	L3 and memory adj circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 15:58
L5	575216	(wafer\$1 or semicondudor\$1 or chip\$1 or subtrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 15:58
L6	10	L5 and automatic adj defect and recognition and(detect\$3 or determining)and(defect or flaw or fault)and(assign\$3 or test\$3 or evaluat\$3)and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 15:59
L7	643423	L6 and select\$3 and review and data file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 15:59
L8	1	L6 and select\$3 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:00
L9	0	L8 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:00

L10	1	L6 and memory adj circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:00
L11	0	L10 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:01
L12	4	L6 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:01
L13	0	L12 and memory adj circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:01
L14	7745	L5 and memory adj circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:01
L15	2341	L14 and parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:01
L16	775	L15 and logic adj circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:02
L17	9	16 and blank adj wafer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:02
L18	8	L17 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:03
L19	0	L18 and resist	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:03
L20	0	L18 and photo adj resist	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:03

L21	0	L18 and polymer adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:04
L22	51765	polymer adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:04
L23	33269	L22 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:04
L24	2388	L23 and oxide adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:05
L25	1703	24 and contact	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:05
L26	16332	L23 and contact	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:05
L27	10	L26 and metal adj later	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:06
L28	1	L27 and parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:06
L29	1	L28 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:06
L30	1	L29 and(intensity or contrast or brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:07
L31	0	L30 and align\$3 and(light or source or illuminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:07

L32	1	L30 and(light or source or illuminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:07
L33	0	L32 and magnificat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:08
L34	0	L32 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:08
L35	0	L32 and histogram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:08
L36	0	L35 and focus\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 16:12
S1	571947	(wafer\$1 or semicondudor\$I or chip\$I or subtrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:27
S2	1	S1 and automatic and defect adj classification and teaching and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:29
S3	1	automatic and defect adj classification and teaching and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:30
S4	1	S1 and defect adj classification and teaching and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:30
S5	1	defect adj classification and teaching and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:30
S6	2	defect adj classification and knowledge adj based adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:31

S7	82	defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:31
S8	19	S7 and (wafer\$1 or semiconductor\$1 or chip\$1 or substrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:31
S9	17	S8 and(@ad<"20030712" or @rlad<"20030712" or @prad<"20030712" or @ptad<"20030712")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:36
S10	12	S8 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:36
S11	24	((DIRK) near2 (SOENKSEN)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:36
S12	11	((RALF) near2 (FRIEDRI CH)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:37
S13	1	((ANDREAS) near2 (DRAEGER)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:37
S14	2	((DETLEF) near2 (SCHUPP)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:37
S16	2	((THIN) near2 ("VAN LUU")). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:39
S17	3	((WOLFGANG) near2 (LANGER)). INV.	US-PGPUB; USPAT	OR	ON	2008/12/05 11:39
S18	0	S11 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:40
S19	0	S11 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:40
S20	0	S11 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:41
S21	0	S12 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:41

S22	0	S13 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:43
S23	3	S10 and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:46
S24	638382	S23 and select\$3 and review and data file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:47
S25	0	S23 and select\$3 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:47
S26	18	S7 and select\$3 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:48
S27	0	S26 and parameters and learning adj node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:49
S28	0	S26 and parameters and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:49
S29	17	S26 and parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:49
S30	2	S1 and S7 and S24 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:56
S31	2	S30 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:56
S32	18	S7 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:57

S33	16	S32 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 11:58
S34	20	S1 and automatic and defect adj recognition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:00
S35	638382	S34 and select\$3 and review and data file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:01
S36	4	S34 and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:33
S37	1	S34 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:34
S38	0	S37 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:34
S39	16	S34 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:35
S40	0	S39 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:35
S41	2	S39 and learning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:35
S42	16	S26 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:39
S43	0	S42 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:40

S44	0	S42 and learning near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:40
S45	0	S42 and learning near3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:40
S46	11	S42 and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:40
S47	598	S1 and select\$3 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:44
S48	340	S47 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:44
S49	1	S48 and input and user and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:45
S50	1	S48 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:46
S51	4	S48 and alignment adj procedure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 12:46
S52	0	S8 and automatic adj defect and recognition and(detect\$3 or determining)same (defect or flaw or fault)same(assign\$3 or test\$3 or evaluat\$3)same descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:02
S53	0	S48 and automatic adj defect and recognition and(detect\$3 or determining)same (defect or flaw or fault)same(assign\$3 or test\$3 or evaluat\$3)same descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:02

S54	1	automatic adj defect and recognition and(detect\$3 or determining)same (defect or flaw or fault)same(assign\$3 or test\$3 or evaluat\$3)same descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:02
S55	11	automatic adj defect and recognition and(detect\$3 or determining)and(defect or flaw or fault)and(assign\$3 or test\$3 or evaluat\$3)and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:03
S56	5	S55 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:03
S57	1	S56 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:03
S58	0	S57 and edit adj recipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:05
S59	0	S57 and edit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:05
S60	0	S57 and memory adj circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:07
S61	1	S57 and circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:07
S62	0	S61 and logic adj circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:08
S63	0	S61 and blank adj wafer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:08

S64	1	S56 and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:02
S65	571947	(wafer\$1 or semiconductor\$1 or chip\$1 or substrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:12
S66	2	S65 and select\$3 and review adj data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:13
S67	2	S65 and review adj data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:13
S68	638	S65 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:14
S69	134	S65 and review same data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:14
S70	0	S69 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:15
S71	0	S69 and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:15
S72	1	S69 and classification and knowledge near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:15
S73	11	S68 and classification and knowledge near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:15
S74	5	S73 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:16

S75	5	S74 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:16
S76	1	S75 and (user or operator or human)and page and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:17
S77	1	S75 and (user or operator or human)and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:17
S78	9	S68 and(detect\$3 or determining) and (defect or fault or flaw)and classification and knowledge near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:19
S79	13	learning and(knowledge-based or knowledge adj based)and database and automatic and defect adj classification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:21
S80	10	S79 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:21
S81	0	S80 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:21
S82	1	S80 and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:22
S83	8	S80 and(wafer\$1 or semiconductor\$1 or chip\$1 or subtrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:24
S84	8	S83 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:24
S85	6	S84 and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:43

S86	5	S84 and descriptor adj (defect or fault or flaw)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 11:46
S87	573639	(wafer\$1 or semiconductor\$1 or chip\$1 or substrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:04
S88	19	S87 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:05
S89	640949	S88 and select\$3 and review and data file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:05
S90	2	S88 and select\$3 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:05
S91	8	S87 and display adj thumbnails	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:07
S92	2	S91 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:07
S93	0	S92 and descriptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:15
S94	8	S91 and parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:27
S95	1	S94 and automatic adj defect and recognition and(detect\$3 or determining)and(defect or flaw or fault)and(assign\$3 or test\$3 or evaluat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:29
S96	2	S92 and display adj thumbnails	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:30

S97	2	S96 and parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:30
S98	0	S97 and circuits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:31
S99	0	S97 and defect and (classification or classifier or classify)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:32
S100	0	S97 and(classification or classifier or classify or grouping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:33
S101	0	S97 and intensity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:33
S102	2	S97 and (intensity or contrast or brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:34
S103	2	S102 and(illumination or source or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:34
S104	2	S103 and(blank adj wafer\$1 or wafer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:36
S105	2	S104 and(polymer or layer or oxide adj layer or contact or metal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:38
S106	0	S105 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:39
S107	0	S105 and focus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:39

S108	0	S105 and magnificat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:40
S109	2	S105 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:40
S110	2	S109 and select\$3 adj recipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 19:41
S111	2	"6973209".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:40
S112	0	S111 and alignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:40
S113	1	S111 and align\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:40
S114	0	S111 and align\$3 same light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:41
S115	1	S111 and align\$3 and(light or source or illuminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:41
S116	1	S115 and adjusting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:42
S117	0	S116 and optimal adj intensity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:42
S118	1	S116 and optimal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:42

S119	0	S118 and intensity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:42
S120	1	S118 and parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:43
S121	1	S120 and algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:46
S122	1	S121 and automatic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:47
S123	0	S122 and intensity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:47
S124	1	S122 and (intensity or contrast or brightness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:47
S125	0	S124 and text adj image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:48
S126	0	S124 and text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:48
S127	1	S124 and recipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:49
S128	0	S127 and review	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:49
S129	1	S127 and dictionary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:49

S130	1	S129 and registered	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:50
S131	1	S130 and drag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:51
S132	82	defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:09
S133	18	S132 and select\$3 and review and data adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:09
S134	16	S133 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:09
S135	0	S132 and select\$3 same review adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:13
S136	5	S132 and review adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:13
S137	3	S136 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:14
S138	1	S137 and descriptors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:19
S139	0	S137 and defect adj descriptors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:20
S140	82	defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:44

S141	5	S140 and review adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:44
S142	3	S141 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:44
S143	2	S142 and(wafer\$1 or semicondutor\$I or chip\$I or subtrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:45
S144	3	"6408219".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:46
S145	1	S144 and review adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:47
S146	1	S144 and select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:48
S147	732	select\$3 same review adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:50
S148	62	S147 and(wafer\$1 or semicondutor\$I or chip\$I or subtrat\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:50
S149	0	S148 and defect and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:50
S150	0	S148 and classification and knowledge adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:50
S151	14	S148 and @ad<"20030712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:51

S152	0	S151 and display adj thumbnails	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:51
S153	0	S151 and display and thumbnails	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:52
S154	0	S151 and thumbnails	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:52
S155	0	S151 and automatic and defect adj recognition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:12
S156	0	S151 and select\$3 adj recipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:13
S157	1	S151 and align\$3 and(light or source or illuminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:13
S158	0	S157 and(user or operator or human)and page and learning adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:16
S159	0	S157 and descriptors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:16
S160	0	S157 and parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:36

12/31/08 4:13:19 PM

C:\Documents and Settings\SChawan\My Documents\EAST\Workspaces\4454.wsp